

JAVASCRIPT DEVELOPMENT

Sasha Vodnik, Instructor

JAVASCRIPT DEVELOPMENT

THE COMMAND LINE & DATA TYPES

THE COMMAND LINE & DATA TYPES

WEEKLY OVERVIEW

WEEK 1

Installfest / The Command Line & Data Types

WEEK 2

Arrays & Loops / (holiday)

WEEK 3

Conditionals & Functions / Scope

LEARNING OBJECTIVES

At the end of this class, you will be able to

- Work with files/directories via the terminal window
- Create a Git repository and push/pull changes
- Run basic JavaScript code on the command line
- Describe the concept of a "data type" and how it relates to variables.

AGENDA

- JS and web technology
- The terminal
- Git and GitHub
- Command line JS
- Data types

EXIT TICKET QUESTIONS

1. Not sure exactly what happened in the install portion but it worked
2. What's next?
What is Git?

Think about last class:

- We installed software from the command line by typing commands
- We also installed software by downloading an installer, double-clicking it, and following the prompts

ACTIVITY



EXERCISE

KEY OBJECTIVE

- ▶ Use the most common commands to navigate and modify files / directories via the terminal window.

TYPE OF EXERCISE

- ▶ Turn and Talk


TIMING

2 min


1. List at least 2 advantages to using the command line.
2. List at least 2 disadvantages to using the command line.

JavaScript & Web Technology


WHAT CAN JAVASCRIPT DO?




VERY FEW STEPS TO RUN



AND WORKS EVEN WHEN COMPUTERS ARE OFFLINE



HIGHLY RESPONSIVE INTERFACES



LOAD ADDITIONAL CONTENT WHEN USER NEEDS IT (AJAX)




WHAT ELSE CAN JAVASCRIPT DO?

- Determine your browser functional limitations and react accordingly (progressive enhancement)
- Power website backends and physical devices (node.js)

DRAWBACK: The environment in which JavaScript operates is unknown



DRAWBACK: JavaScript can be disabled



Node.js

Node.js

- A definition (from Wikipedia):
 - In software development, Node.js is an open-source, cross-platform runtime environment for developing server-side Web applications.
- Enables JavaScript on the server (the backend)
- Written in C, C++, and JS (so, not a JS framework)
- Interprets JS using Chrome's V8 engine
- Module driven; see Node Package Manager (npm)
- All about non-blocking, asynchronous input/output

Node.js

- We will not be using Node.js as a web server (backend) - see Firestore
- We will be taking advantage of Node's command line interface
- Allows us to run JavaScript from our terminal applications
- More at the end of class...

JavaScript Frameworks & Libraries

LIBRARIES VS FRAMEWORKS

Libraries






LIBRARIES VS FRAMEWORKS

Libraries




Frameworks





The Terminal

INTRODUCTION TO THE TERMINAL



- › Terminal allows you to interact with your computer faster
- › Terminal === Command Line === Console

UNIX

UNIX


- Family of operating systems, including all Linux systems and OS X/macOS

SHELL



- A generic name for the primary program that runs inside a terminal

BASH

A screenshot of a terminal window with a black background. The text 'Sashas-MacBook-Pro:JS-SF-13 sasha\$' is displayed in white at the top left, followed by a small white cursor block.

```
Sashas-MacBook-Pro:JS-SF-13 sasha$
```

- Bourne-Again Shell: a specific shell program

ANATOMY OF THE TERMINAL

```
Sashas-MacBook-Pro:JS-SF-13 sasha$ █
```

ANATOMY OF THE TERMINAL

Host (computer) name

```
Sashas-MacBook-Pro:JS-SF-13 sasha$ █
```

ANATOMY OF THE TERMINAL

Working directory (current folder)

```
Sashas-MacBook-Pro:JS-SF-13 sasha$ █
```


ANATOMY OF THE TERMINAL

Username

A screenshot of a terminal window with a black background and white text. The prompt 'Sashas-MacBook-Pro:JS-SF-13' is followed by the username 'sasha' which is enclosed in a red rectangular box, and then a dollar sign '\$' and a grey cursor block.

```
Sashas-MacBook-Pro:JS-SF-13 sasha$ █
```

ANATOMY OF THE TERMINAL

Bash prompt

A terminal window with a black background and white text. The prompt 'Sashas-MacBook-Pro:JS-SF-13 sasha\$' is displayed. A red rectangular box highlights the '\$' character and the space immediately following it. A grey cursor block is positioned to the right of the '\$' character.

```
Sashas-MacBook-Pro:JS-SF-13 sasha$
```

ANATOMY OF THE TERMINAL

Command (program)

```
Sashas-MacBook-Pro:JS-SF-13 sasha$ ls
```

ANATOMY OF THE TERMINAL

Argument (input)

```
Sashas-MacBook-Pro:JS-SF-13 sasha$ ls 00-installfest
```

ANATOMY OF THE TERMINAL

Option

```
Sashas-MacBook-Pro:JS-SF-13 sasha$ ls -a 00-installfest
```

ANATOMY OF THE TERMINAL


Output

```
Sashas-MacBook-Pro:JS-SF-13 sasha$ ls -a 00-installfest
```

```
.          .DS_Store      index.html    slides.md  
..         img           install.md
```

```
Sashas-MacBook-Pro:JS-SF-13 sasha$
```

THE COMMAND LINE & DATA TYPES



Command line code along

For Mac

Open the Terminal app (Applications > Utilities > Terminal)

For Windows

Open the PowerShell application

LAB — COMMAND LINE



EXERCISE

KEY OBJECTIVE

- Use the most common commands to navigate and modify files / directories via the terminal window.

TYPE OF EXERCISE

- Individual/Pairs

TIMING

10 min

Follow the instructions posted on the class website to navigate and modify files and directories using the command line.

EXERCISE — COMMAND LINE



EXERCISE

KEY OBJECTIVE

- Use the most common commands to navigate and modify files / directories via the terminal window.

TYPE OF EXERCISE

- Whole class brainstorm

TIMING

2 min


1. Name a command line command and explain what it does. Let's hear from everyone at least once!

Introduction to Git/GitHub

THE COMMAND LINE & DATA TYPES

GIT

- ▶ A **version control** program that saves the state of your project's files and folders
- ▶ Basically, it takes a "snapshot" of what all your files look like at a moment and stores a reference to that "snapshot"



THE COMMAND LINE & DATA TYPES

GITHUB

- A **web app/platform** that makes it easy to manage git repositories.
- Similar to Dropbox or Google Drive, but for code.
- Stores a history of files and the changes that happen within each changed document.
- Hosts files on the cloud so you can share the finished product with other people.
- **Git** - the technology that Github is based on top of - was designed to allow for multiple engineers to work on the same project.

GitHub



Why use GitHub?



HISTORY

- ▶ Since GitHub stores a history of the code, it allows developers to go back in time if something breaks.



COLLABORATION

- ▶ Allows multiple developers to work on the same project. Much like Google Drive lets multiple people collaborate on the same document, GitHub allows this for code.
- ▶ You can see who worked on what.




FEEDBACK

- ▶ GitHub allows for feedback to be given on the code which, hopefully, increases code quality.

Git vs GitHub

- **Git** is version control software
- **GitHub** is a website and platform for utilizing Git in a collaborative way



Git/GitHub Vocabulary

- **Repository**
- **Clone**
- **Commit**
- **Push**
- **Pull**

What is a repository (repo)?




- Basic element of GitHub
- Contains all of a project's files (all the code)
- One or more users can contribute to a single repository
- Repositories are either public or private
- By the end of class today, you will create your own repo

clone




- Git command that copies/clones a **remote** repo to your machine
- This copy/clone is called a **local** repo
- Changes to the **local** repo will not affect the **remote**

commit




- ▶ Git command that creates a snapshot of changes to a repo
- ▶ Think of it as saving your changes with a timestamp
- ▶ Contains a message describing the changes made

push



- ▶ Git command that sends your commits (saved changes) to a **remote** repository
- ▶ Allows other developers to see your changes and copy (“pull”) them to their own local repos

pull



- ▶ Git command that copies (pulls) changes by other developers from a remote repository to your local clone
- ▶ Allows you to see changes made by other developers and incorporate them into your local clone

How will we use GitHub in JSD12?



JS-SF-13-resources

- › contains start and solution files
- › you will pull changes at the start of each class



JS-SF-13-homework


- › currently empty
- › you will push your completed homework and receive feedback here



You will create your own additional repos for the 3 projects during this course.

GIT COMMANDS

THE COMMAND LINE & DATA TYPES



EXERCISE — GIT/GITHUB



EXERCISE

KEY OBJECTIVE

- › Understand how to initialize a local Git repository and push/pull changes to a remote Git repository.

TYPE OF EXERCISE

- › Pairs

TIMING

2 min

1. What command do you use to initialize a local Git repository? (Hint: Check the handout.) What does initializing do?
2. What command do you use to push changes to a remote Git repository? What does pushing do?
3. What command do you use to pull changes from a remote Git repository? What does pulling do?
4. BONUS: Draw a diagram illustrating all 3 commands

Intro to Node.js and command line JS




How is Node different from JS in the browser?

- ▶ No browser-specific functionality
- ▶ Same JS engine as Chrome



What is Node good for?

- ▶ Creating a backend server for a web application
- ▶ Running a script to do data analysis
- ▶ File management
- ▶ Making command line programs



Ways to run commands in Node

Interactive command line

Your command
Node's response

```
> 5 + 2  
< 7
```

Run a file

You

```
> script.js
```


Node loads the file script.js and executes its contents

Node

```
< 7
```


Executing JavaScript code

Let's write some JavaScript!



Variables

- Containers that allow us to store values
- Let us tell our program to remember values for us to use later on
- The action of saving a value to a variable is called **assignment**



Declaring a variable

```
let age;
```

Assigning a value to a variable

```
age = 29;
```

Declaring and assigning in a single statement

```
let age = 29;
```

Printing things out for our own inspection

```
console.log("Hello!");
```

Printing a variable value out for our own inspection

```
console.log(age);
```

When do you use console.log?

- ▶ When you are developing a program and need help figuring out what's going on (aka debugging)
- ▶ When you want to print things to the command line




browser developer tools



command line

THE COMMAND LINE & DATA TYPES



Exit the Node console

Node prompt

```
> █
```

`control` + `C` twice

BASH prompt

```
$ █
```

EXERCISE — NODE



EXERCISE

KEY OBJECTIVE

- Run basic JavaScript code on the command line using Node.

TYPE OF EXERCISE

- Turn and talk

TIMING

2 min

1. What is Node?
2. What did we use it for today?
3. BONUS: How else can it be used?

DATA TYPES & LOOPS

DATA TYPES

THE DATA TYPE IDENTIFIES THE KIND OF DATA

"I just pushed my changes to the repo."

string

"red", "orange", "yellow", "green", "blue", "violet"

array

42

number

STRINGS

"a"

"satisfied"

"none of the above"

"The only difference between me and a madman is that I'm not mad. - Salvador Dali"

NUMBERS

1.5


3.1415926535

27.36

45

525600

SOME LANGUAGES TREAT INTEGERS AND FLOATS AS SEPARATE TYPES, BUT NOT JAVASCRIPT



WORKING WITH DATA IN JAVASCRIPT



LIBRARY OF OBJECTS

`Array()`
`Date()`
`Math()`
...



LANGUAGE ELEMENTS

Operators (+ - * / % ...)

Statements
for
function
return
...



DOM MANIPULATION

- create elements
- place elements in the browser window
- change properties of elements in the browser window
- respond to user events

IDENTIFYING DATA TYPE

- `typeof()` function
- Returns a string naming the data type of the data you pass to it
- Syntax:
 - `typeof(data)`, where *data* is a number, string, or other data

```
typeof(5);
```

"number"

```
typeof('Chill');
```

"string"

```
typeof(['red', 'green', 'blue']);
```


"object"

JS treats an array as a type of object, rather than a separate data type

ARITHMETIC OPERATORS

+	add (also concatenates strings)
-	subtract
*	multiply
/	divide
%	modulus (remainder)

THE COMMAND LINE & DATA TYPES




SPECIAL NUMBER OPERATORS

The `Math` object provides methods for additional operations

<code>Math.pow(m, n)</code>	Returns <code>m</code> to the power of <code>n</code>
<code>Math.sqrt(n)</code>	Returns the square root of <code>n</code>
<code>Math.random()</code>	Returns a random number between 0 (inclusive) and 1 (exclusive)
<code>Math.floor(n)</code>	Returns largest integer less than or equal to <code>n</code>
<code>Math.ceil(n)</code>	Returns smallest integer greater than or equal to <code>n</code>


THE COMMAND LINE & DATA TYPES



VARIABLES

WHAT ARE VARIABLES?

- We can tell our program to remember (store) values for us to use later on.
- The 'container' we use to store the value is called a **variable**



DECLARING A VARIABLE

```
let age = 29;
```

VARIABLE CONVENTIONS

RULES:

1. Should be "camel case" — First word starts with a lowercase letter and any following words start with an uppercase letter.
2. Names can only contain: letters, numbers, \$ and _
3. No dashes, no periods.
4. Cannot start with a number
5. Case sensitive - numberOfStudents is not the same as numberofStudents



```
let numberOfStudents = 10;
```

Guideline: Names should be descriptive:




```
let lastName = "Vodnik";
```



```
let x = "Vodnik";
```

CAMEL CASE

- › Use when creating a name based on multiple words
- › Remove spaces, then capitalize the first letter of the second and subsequent words



JAVASCRIPT — UPDATING THE VALUE OF A VARIABLE

Declaring a variable:

```
let host = "Sasha";
```

Update the value of the variable:

```
host = "Ray";
```

KEYWORDS FOR DECLARING VARIABLES

keyword	when will we learn it?
let	We will use let today
var	We will learn about var and const next week
const	

Printing text out for our own inspection

```
console.log("Hello!");
```

Printing a variable value out for our own inspection

```
console.log(age);
```

When do you use `console.log`?

- ▶ When you are developing a program and need help figuring out what's going on (aka debugging)
- ▶ When you want to print things to the command line



browser developer tools



command line

KNOW YOUR EQUAL SIGNS

=	assigns value on right to object on left
===	evaluates whether values on left and right are the same

```
let minutes = 17;
```

```
> minutes === 10  
< false
```


COMPOUND OPERATORS

+=	adds a number to a variable and assigns the new value to the same variable
-=	subtracts a number from a variable and assigns the new value to the same variable
++	adds 1 to a value
--	subtracts 1 from a value

TRANSFORMING A VALUE INTO A STRING

- `toString()` function
- Returns the original value as a string
- Syntax:
 - `data.toString()`, where *data* is the name of a variable

```
let minutes = 17;
```

```
minutes.toString();
```

"17"

```
let colors = ['red', 'green', 'blue'];
```

```
colors.toString();
```

"red,green,blue"

ARRAYS & LOOPS

QUIZ

COMMON MISTAKES

"Bill" = let name;

COMMON MISTAKES

```
let name = "Bill";
```

COMMON MISTAKES

```
let total score = 20;
```

COMMON MISTAKES

```
let totalScore = 20;
```

COMMON MISTAKES

```
let fullName = Suzie Smith;
```

COMMON MISTAKES

```
let fullName = "Suzie Smith";
```

COMMON MISTAKES

```
Let fullName = "Bill Smith";
```

COMMON MISTAKES

```
let fullName = "Bill Smith";
```

COMMON MISTAKES

```
let score = "5";  
  score += "6";
```

COMMON MISTAKES

```
let score = 5;  
score += 6;
```

ACTIVITY — VARIABLES & DATA TYPES



ACTIVITY

KEY OBJECTIVE

- Describe the concept of a "data type" and how it relates to variables.

TYPE OF EXERCISE

- Turn & Talk

EXECUTION

2 min

1. Describe variables. Explain why we would want to use variables in our programs.
2. What are the three data types in JS? Can you think of an example of each?

Exit Tickets!

(Class #1)

https://bit.ly/JS13_exitticket

LEARNING OBJECTIVES – REVIEW

- Work with files/directories via the terminal window
- Create a Git repository and push/pull changes
- Run basic JavaScript code on the command line
- Describe the concept of a "data type" and how it relates to variables.

Next class preview: Arrays & Loops

- Declare, assign to, and manipulate data stored in a variable.
- Create arrays and access values in them.
- Iterate over and manipulate values in an array.
- Build iterative loops using for statements.

Q&A